

UHI Research Database pdf download summary

A Modest Addendum to the English Sediment Core Meta-Database

Woodhouse, Eleanor; Ratcliffe, Joshua; Andersen, Roxane; Suggitt, Andrew; Maclean, Ilya; Payne, Richard J.

Published in:
Open Quaternary

Publication date:
2017

Publisher rights:
Open Quaternary is a peer-reviewed open access journal published by Ubiquity Press.

The re-use license for this item is:
CC BY

The Document Version you have downloaded here is:
Publisher's PDF, also known as Version of record

The final published version is available direct from the publisher website at:
[10.5334/oq.30](https://doi.org/10.5334/oq.30)

[Link to author version on UHI Research Database](#)

Citation for published version (APA):

Woodhouse, E., Ratcliffe, J., Andersen, R., Suggitt, A., Maclean, I., & Payne, R. J. (2017). A Modest Addendum to the English Sediment Core Meta-Database. *Open Quaternary*, 3(1), 1. <https://doi.org/10.5334/oq.30>

General rights

Copyright and moral rights for the publications made accessible in the UHI Research Database are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights:

- 1) Users may download and print one copy of any publication from the UHI Research Database for the purpose of private study or research.
- 2) You may not further distribute the material or use it for any profit-making activity or commercial gain
- 3) You may freely distribute the URL identifying the publication in the UHI Research Database

Take down policy

If you believe that this document breaches copyright please contact us at RO@uhi.ac.uk providing details; we will remove access to the work immediately and investigate your claim.

DATA PAPER

A Modest Addendum to the English Sediment Core Meta-Database

Eleanor L. Woodhouse*, Joshua L. Ratcliffe^{†,‡}, Roxane Andersen[‡], Andrew Suggitt[§], Ilya Maclean^{||} and Richard J. Payne^{*¶}

* Environment Department, University of York, Heslington, York YO10 5DD, UK

[†] Science & Engineering, University of Waikato, Private Bag 3105, Hamilton 3240, NZ

[‡] Environmental Research Institute, North Highland College, University of the Highlands and Islands, Castle Street, Thurso, Caithness KW14 7JD, UK

[§] Department of Biology, University of York, Wentworth Way, York YO10 5DD, UK

^{||} Environment and Sustainability Institute, University of Exeter, Penryn Campus, Penryn, Cornwall TR10 9FE, UK

[¶] Department of Zoology and Ecology, Penza State University, Krasnaya str. 40, 440026 Penza, RU

Corresponding author: Richard J. Payne (richard.payne@york.ac.uk)

Compilations of previous studies provide researchers with a source of valuable secondary data for re-analysis, an access route to identify relevant literature and an opportunity to systematically evaluate the research which is conducted and published. Recently Suggitt et al. (2015 *Veg Hist Archbot* 24, 743–747) presented a valuable compilation of core records for England. Here we present an extended version of this English Sediment Core Meta-database which includes data for 100 additional cores and improves the consistency of presentation. Despite these additions there are clearly large gaps remaining. Maximising the value of such meta-databases requires a community effort and we hope that this contribution will be a first step towards achieving this.

Keywords: Meta-database; Palaeoecology; Core records; Palaeoenvironments; Holocene

Funding statement: This study was supported by the University of York Research Priming Fund, the Leverhulme Trust (grant RPG-2015-162) and the Russian Scientific Fund (grant 14-14-00891).

(1) Overview

Introduction

Compilations of metadata for previous studies can provide a number of important benefits to Quaternary scientists. Such meta-databases can be an effective way for researchers to identify relevant previous research and can provide a basis for secondary re-analysis of published datasets. Building such compilations also provides a useful opportunity to evaluate the 'state of the art' and assess trends, biases and gaps in the research which is undertaken and published. Previous databases covering the United Kingdom have focussed on specific environments such as lakes (Battarbee et al. 2011) or peatlands (Payne et al. 2016) or on specific methods such as pollen analysis (Fyfe et al. 2009) or tephra (Newton et al. 2007). Recently Suggitt et al. (2015a) presented an English Sediment Core Meta-database (ESCM) with the goal to 'determine as many sediment coring sites in England as possible' with a particular focus on the Holocene. This is an ambitious aim given the range of sedimentary archives and proxies encompassed and the quantity of research conducted in England over

the last 100+ years. The resulting dataset, presented in supplementary material to the published paper, includes records for 763 locations and is a valuable tool for anyone interested in the late-Quaternary development of the English landscape. The scope of this compilation is very broad and the authors acknowledge that the resulting dataset is by no means exhaustive. Inevitably there are gaps in any such study and Tooley (2015) highlighted some data missing from the original paper. However, as noted by (Suggitt et al. 2015b), not all of these studies may have met the original inclusion criteria.

It is clear that there is more to be done and that the potential applications of the dataset will be maximised if it is as comprehensive as possible. Despite their value, substantive funding is rarely available for the assembly and maintenance of databases of this type. The Suggitt et al. (2015a) study was financed on a one-off basis by Natural England, and there is no funding for this to be further developed or updated with new research. The best possibility to maximise the value of the dataset is therefore for it to become a wider community project

with contributions from other researchers as and when possible.

Context

Spatial coverage

Description: England
Northern boundary: +55.8
Southern boundary: +49.9
Eastern boundary: +1.76
Western boundary: -5.7

Temporal coverage

14270BP to present.

(2) Methods

Steps

Here we present a modest addendum to the original dataset based on recent work on peatland sites and new literature searches. We make contributions from four sources:

- 1) Firstly, to the published dataset we added data previously compiled by Payne et al. (2016) for peatland sites across Britain. This study identified 475 radiocarbon dated peatland sites of which 186 are in England. To be included the sites were required to have dates and sediment which could be confidently considered peat and the studies were required to have been published since 1970. We carefully cross-checked this dataset against the ESCM data and identified studies not included in the published dataset.
- 2) Secondly, to identify more recent papers we conducted new searches of the journal databases Google Scholar and Web of Science for search terms used in the original paper focussing on papers published since 2014.
- 3) Thirdly, we conducted additional searches using a variety of search terms not included in the original papers.
- 4) Finally, we added any other papers of which we were personally aware which were not otherwise included.

We also take the opportunity presented by adding these additional data to refine and improve the presentation of the dataset. Specifically, we:

- 1) Add missing detail to the site entries when possible.
- 2) Add missing information to the references and endeavour to improve the consistency of reference formatting wherever possible to make it easier for readers to identify the source material.
- 3) Correct some minor errors which we noted in passing. We also removed some entries which were highlighted as duplicates by a reviewer of this manuscript.
- 4) Remove columns which we find not to be helpful to the general user or which appear to be inconsistently or infrequently recorded, namely

those headed: ID, Full/partial dataset, Title, Search terms, Search facility and Provenance (AJS/ZT).

Constraints

Our amendments both add a substantive body of new data and improve the consistency of presentation. However, with a task of this magnitude it is inevitable that there will be both omissions and most likely some errors. The database is clearly imperfect and biased in many ways and some of these may have been reinforced by the additions made here. The database is a work-in-progress.

Repository location

Open Quaternary Dataverse. DOI: <https://doi.org/10.7910/DVN/PETMGY>

(3) Dataset description

Object name

Extended English Sediment Core Meta-database.xls.

Data type

Secondary data.

Format names and versions

Excel spreadsheet.

Creation dates

Last updated October 2016.

Dataset Creators

The dataset published here reflects the work of both the authors of this paper and that of the original publication (Suggitt et al. 2015a) which should remain the primary reference for anyone using this database.

Language

English.

License

CC0.

Publication date

12/10/2016.

(4) Reuse potential

We identified 100 site records not previously included in the ESCM dataset, representing an increase in the overall size of the database of 13% and bringing the total number of records represented to 849 after deletions. Given our own expertise a majority of these (~60%) are for peatland sites. Our additional data tend to reinforce the conclusions of Suggitt et al. (2015a) regarding the nature of the research conducted. The majority of our new records are from northern England (**Figure 1**), the majority are studies based solely or largely on pollen and the vast majority are for the Holocene, particularly the mid-to-late Holocene. Additions included some quite highly-cited papers which were previously not included (Barber et al. 1994; Hendon et al. 2001; Mauquoy and Barber 2002). It should be cautioned that the lack of representation of studies in the




Figure 1: Sites included in the extended English Sediment Core Meta-database.

database does not necessarily imply that studies have not been conducted; it may simply be the case that these have not been identified. Both the original database and our extended version have considerable biases, for instance, papers on coastal environments and the archaeological literature are clearly under-represented while freshwater peats are now quite well-represented. This bias may, for instance, mean that the impression that comparatively little research has been conducted in central England is misplaced.

Minimising these biases requires contributions from researchers with a range of expertise from across Quaternary Science. Data sources such as radiocarbon date lists and databases, the Archaeological Data Service, thesis repositories and the institutional data holdings of organisations such as English Heritage and the British Geological Survey would doubtless reveal a wealth of further data which would reward investigation.

Without any direct funding we propose that the best way to continue to build and extend this database is by individual members of the Quaternary Science community contributing data within their own areas of expertise.

Data papers in this journal might be a useful way to facilitate this process although issues of consistency and quality control will require attention. We hope this may be the first of many such contributions bringing together knowledge from the research community to extend and refine this valuable database.

Acknowledgements

We thank the inter-library loans staff at the J.B. Morrell University Library in York and the University of Stirling Library for their assistance tracking-down many obscure publications.

Competing Interests

The authors have no competing interests to declare.

References

- Barber, KE, Chambers, FM, Maddy, D, Stoneman, R and Brew, J S** 1994 A sensitive high resolution record of late Holocene climatic change from a raised bog in northern England. *The Holocene*, 4: 198–205. DOI: <https://doi.org/10.1177/095968369400400209>
- Battarbee, R W, Morley, D, Bennion, H, Simpson, G L, Hughes, M and Bauere, V** 2011 A palaeolimnological

meta-database for assessing the ecological status of lakes. *J Paleolimnol*, 45: 405–414. DOI: <https://doi.org/10.1007/s10933-010-9417-5>

- Fyfe, R M, de Beaulieu, J-L, Binney, H, Bradshaw, R H, Brewer, S, Le Flao, A, . . . , Gil-Romera, G** 2009 The European Pollen Database: past efforts and current activities. *Vegetation History and Archaeobotany*, 18: 417–424. DOI: <https://doi.org/10.1007/s00334-009-0215-9>
- Hendon, D, Charman, D and Kent, M** 2001 Palaeohydrological records derived from testate amoebae analysis from peatlands in northern England: within-site variability, between-site comparability and palaeoclimatic implications. *The Holocene*, 11: 127–148. DOI: <https://doi.org/10.1191/095968301674575645>
- Mauquoy, D and Barber, K** 2002 Testing the sensitivity of the palaeoclimatic signal from ombrotrophic peat bogs in northern England and the Scottish Borders. *Review of Palaeobotany and Palynology*, 119: 219–240. DOI: [https://doi.org/10.1016/S0034-6667\(01\)00099-9](https://doi.org/10.1016/S0034-6667(01)00099-9)
- Newton, A J, Dugmore, A J and Gittings, B M** 2007 Tephrobase: tephrochronology and the development of a centralised European database. *Journal of Quaternary Science*, 22: 737–743. DOI: <https://doi.org/10.1002/jqs.1094>
- Payne, R J, Ratcliffe, J, Andersen, R and Flitcroft, C E** 2016 A meta-database of peatland palaeoecology in Great Britain. *Palaeogeography, Palaeoclimatology, Palaeoecology*. DOI: <https://doi.org/10.1016/j.palaeo.2016.05.025>
- Suggitt, A J, Jones, R T, Caseldine, C J, Huntley, B, Stewart, J R, Brooks, S J, . . . , Larwood, J** 2015a A meta-database of Holocene sediment cores for England. *Vegetation History and Archaeobotany*, 24: 743–747.
- Suggitt, A J, Jones, R T, Caseldine, C J, Huntley, B, Stewart, J R, Brooks, S J, . . . , Larwood, J** 2015b A reply to ‘A meta-database of Holocene sediment cores for England: missing data’(Tooley 2015). *Vegetation History and Archaeobotany*, 6: 753–754. DOI: <https://doi.org/10.1007/s00334-015-0531-1>
- Tooley, M** 2015 A meta-database of Holocene sediment cores for England: missing data. *Vegetation History and Archaeobotany*. 1–4. DOI: <https://doi.org/10.1007/s00334-015-0528-9>

How to cite this article: Woodhouse, E L, Ratcliffe, J L, Andersen, R, Suggitt, A, Maclean, L and Payne, R J 2017 A Modest Addendum to the English Sediment Core Meta-Database. *Open Quaternary*, 3: 2, pp. 1–4. DOI: <https://doi.org/10.5334/oq.30>

Submitted: 12 October 2016

Accepted: 11 January 2017

Published: 20 February 2017

Copyright: © 2017 The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC-BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See <http://creativecommons.org/licenses/by/4.0/>.



Open Quaternary is a peer-reviewed open access journal published by Ubiquity Press.

OPEN ACCESS